

**PRODUCT GUIDE**  
**2021/22**



**PRODUCT THAT WORKS   BRANDS THAT SELL   SERVICE THAT DELIVERS**

## WELCOME

to the Growtivation Product Guide for 2021/22. At Growtivation we're committed to helping our stockists *grow their sales*. With all distributors listed on the 'Where To Buy' page of our website, the completion of a full suite of 'how to' video installation guides and new in-store point of sale displays, makes it even easier for tradespeople to select quality products from our '*product that works*' range. Please take some time to browse through our range of specialist products and don't hesitate to get in touch for further advice on what's the best choice for your store!

## WHY GROWTIVATION?

For those readers that haven't yet undergone

**THE GROWTIVATION EXPERIENCE** you may be wondering why Growtivation?

An unusual name we'd agree... but that's not the only thing that makes us different.

At Growtivation we are passionate about growing **your** sales by motivating **your** customers to buy our products. Our sole aim is to provide '**product that works**' for **you** for **your** customers and for us. The secret to growing sales lies in a perfect blend of trusted '**brands that sell**' fully backed up with marketing support and a '**service that delivers**'.

## CONTACT US:



0800 197 8885



sales@growthivation.com



www.growthivation.com



## PRODUCT THAT WORKS

Motivated by our motto, we have always made every effort to supply '**product that works**' for our customers and the end user. The hallmark of all our products is quality, performance and value for money. Stringent quality control procedures ensure that guaranteed quality products reach the end user and can be relied on to perform to the standards required. Our products provide solutions across a wide range of applications, falling into 3 main industry sectors; landscaping, building and growing.



## BRANDS THAT SELL

At Growtivation we believe in the concept that it's not products that sell, it's '**brands that sell**'. All our products have clear, individual branding which is particularly emphasised on the product packaging. Brand names are memorable and help to describe the product's applications, whilst making it easy for the end user to identify. What's more we have a comprehensive range of point of sale material and merchandising stands to help boost sales – see page 40 - 43 for options.



## SERVICE THAT DELIVERS

Our service is a '**service that delivers**' more, in every way. At Growtivation our customer support is second to none as all of our staff are prepared to go the extra mile. Your experience starts with a delivery of the right product to the right place at the right time.

Orders placed by **1pm** are despatched the **same day** (subject to stock availability) and we can offer the option of a **next day delivery at no extra cost**, meaning you don't need to hold large stocks or miss sales opportunities by being out of stock.

## TERMS & CONDITIONS

All orders placed with REG Group Ltd t/a Growtivation (referred to as "Growtivation") shall be subject to our full conditions of trading, a copy of which is available on request. The placing of an order constitutes acceptance of the following terms and conditions.

1. In the event of damaged goods, short supply or non-delivery, notification must be made in writing within 24 hours of delivery.
2. Growtivation reserve the right to make a handling, carriage and re-stocking charge on goods returned that were incorrectly ordered by the customer. Only unused goods in resaleable condition will be accepted.
3. All goods remain the property of Growtivation until full payment is received. In case of non-payment Growtivation shall be entitled to re-possess the goods.
4. Growtivation reserves the right to make changes to product specifications, descriptions and prices without prior notice.
5. The information contained in this Product Guide replaces any previous information and all specifications and technical data appearing here must be used as guidelines, since they correspond to average values tested at laboratory. It is the responsibility of all users to satisfy themselves that the data and information is current. All information and data contained herein is given in good faith and does not offer any warranty (express or implied) regarding the suitability of any product for your use as site conditions and requirements can vary.
6. Growtivation cannot accept responsibility for any loss, damage or injury that may occur directly or indirectly through the use of their products.

## LANDSCAPING



<b>WEEDTEX</b> Weed Control Fabric	<b>7</b>	<b>EARTHWORX</b> Geotextile Fabric	<b>17</b>
<b>LANDTEX</b> Landscape Fabric	<b>9</b>	<b>EXTRAFIX</b> Landscape Fixings	<b>19</b>
<b>GROUNDTEX</b> Woven Geo Fabric	<b>11</b>	<b>EARTHWORX</b> Ground Control	<b>21</b>
<b>DRAINTEX</b> Geotextile Fabric	<b>13</b>	<b>Gravelrings</b> Ground Control	<b>22</b>
<b>DRIVETEX</b> Geotextile Fabric	<b>15</b>	<b>Grassrings</b> Ground Control	<b>22</b>

## BUILDING



<b>SITWORX</b> Tarpaulins	<b>25</b>	Barrier Fence	<b>28</b>
Multi-Purpose Rope	<b>25</b>	Fence Pins	<b>28</b>
Protection Sheeting	<b>26</b>	Expansion	
Damp Proof Membrane	<b>27</b>	Joint Fillers	<b>29</b>
Vapour Membrane	<b>27</b>	Pallet Wrap	<b>30</b>
Concrete & Screed Fibres	<b>27</b>	PVC Tape	<b>30</b>
Plaster & Render Fibres	<b>27</b>	Butyl Tape	<b>30</b>
Polythene Rubble Sacks	<b>28</b>		

## GROWING



<b>GROUNDTEX</b> Ground Cover Fabric	<b>32</b>	<b>CROPTEX</b> Buckle Ties	<b>35</b>
		Super Soft Ties	<b>35</b>
		Spiral Guards	<b>35</b>

## POS DISPLAY



Siteworx POS Display Box	<b>38</b>
Gravelrings and Grassrings Literature	<b>38</b>
Gravelrings Counter Display Unit	<b>38</b>
Geo Fabric Display Boxes	<b>39</b>
Geo Fabric Literature	<b>39</b>

# LANDSCAPING

Practical and functional landscaping products that work. Ideal for domestic and commercial projects, this range of high performance products ensure creation of the perfect landscape.



# WEEDTEX™

GEO FABRIC THAT WORKS



SEE PAGE 39 FOR POS SOLUTIONS

IDEAL FOR



DECKING




PLANTING



FLOWER BORDERS

A standard duty weed control fabric offering very effective weed suppression for many different applications. WEEDTEX allows nutrients (including liquid feed and fertilisers), water and air into the soil to maintain its goodness and promote plant growth, whilst preventing weeds getting the daylight they need to grow. WEEDTEX is ideal for use as a weed suppressant beneath garden decking and decorative borders. It is recommended that a heavier duty fabric is used beneath aggregates/stone or areas subject to pedestrian traffic.

For effective weed suppression beneath garden decking install a layer of WEEDTEX, secure with EXTRAFIX Plastic Pegs and cover with bark (50mm minimum).



CODE	PRODUCT	WIDTH	LENGTH	AREA	UNIT	OUTER QTY
WWF1	<b>Mini Roll</b> For smaller size projects	1.0m	15m	15m <sup>2</sup>	roll	24
WWF2	<b>Mini Pack</b> Wider width for larger areas	2.0m	10m	20m <sup>2</sup>	pack	10
WWF10	<b>Midi Rolls</b> For medium size projects	1.0m	50m	50m <sup>2</sup>	roll	10
WWF20		2.0m	25m	50m <sup>2</sup>	roll	10
WWF25		2.0m	50m	100m <sup>2</sup>	roll	-
WWF100	<b>Maxi Rolls</b> For larger size projects	1.0m	100m	100m <sup>2</sup>	roll	-
WWF150		1.5m	100m	150m <sup>2</sup>	roll	-
WWF200		2.0m	100m	200m <sup>2</sup>	roll	-

FIND OUT MORE AT  
[www.weedtex.co.uk](http://www.weedtex.co.uk)



T: 0800 197 8885

F: 01903 765443

E: [sales@growthivation.com](mailto:sales@growthivation.com)

# LANDTEX™

GEO FABRIC THAT WORKS



SEE PAGE 39 FOR POS SOLUTIONS

IDEAL FOR



DECKING



LANDSCAPING



PLANTING

A thicker version of the WEEDTEX membrane, providing superior weed control in most types of landscape project. LANDTEX is an eco-friendly weed control solution as it effectively suppresses weeds without the use of chemicals. LANDTEX allows nutrients (including liquid feed and fertilisers), water and air to permeate creating a healthy and fertile soil, whilst preventing weeds getting the light they need to grow. LANDTEX is ideal for use as a weed suppressant in planting schemes as it can be easily cut without fraying, for planting through. LANDTEX should then be covered with a 50mm layer of bark or other mulch or rounded cobbles/decorative stone. It is recommended that a heavier duty fabric is used beneath sharp/angular aggregates/stone or areas subject to pedestrian traffic.

Cover LANDTEX with a minimum 50mm layer of bark or other mulch or rounded cobbles / decorative stone (non-trafficked areas only).



Planting through LANDTEX is easy with no fraying when a slit is cut.



CODE	PRODUCT	WIDTH	LENGTH	AREA	UNIT	OUTER QTY
LAN1	<b>Mini Roll</b> For smaller size projects	1.0m	15m	15m <sup>2</sup>	roll	24
LAN10	<b>Midi Rolls</b> For medium size projects	1.0m	50m	50m <sup>2</sup>	roll	10
LAN20		2.0m	25m	50m <sup>2</sup>	roll	10
LAN25		2.0m	50m	100m <sup>2</sup>	roll	-
LAN100	<b>Maxi Rolls</b> For larger size projects	1.0m	100m	100m <sup>2</sup>	roll	-
LAN150		1.5m	100m	150m <sup>2</sup>	roll	-
LAN200		2.0m	100m	200m <sup>2</sup>	roll	-

FIND OUT MORE AT  
[www.landtex.co.uk](http://www.landtex.co.uk)



T: 0800 197 8885

F: 01903 765443

E: [sales@growthivation.com](mailto:sales@growthivation.com)

# GROUNDTEX™

GEO FABRIC THAT WORKS



SEE PAGE 39 FOR POS SOLUTIONS

IDEAL FOR



GROUNDWORKS



PATHWAYS



PATIOS


FIND OUT MORE AT

[www.groundtex.co.uk](http://www.groundtex.co.uk)



1301

A good 'all round' or multi-purpose geo fabric that can be used for weed suppression and ground stabilisation in both soft and hard landscaping schemes. GROUNDTEX is a tough woven fabric which successfully meets the requirements for use above ground as a heavy duty weed barrier. Due to its excellent strength and tear resistance, GROUNDTEX can also be used below ground as a stabilising and separating geotextile in groundwork and civil engineering applications. GROUNDTEX can be used beneath MOT Type 1 or 3 aggregate, sharp/angular stone and gravel including areas subject to pedestrian or vehicular traffic.



Lay GROUNDTEX Woven Geo Fabric beneath the sub-base to form a stable and level patio area.



CODE	PRODUCT	WIDTH	LENGTH	AREA	UNIT	OUTER QTY
GWFO	<b>Mini Roll</b> Narrow width, ideal for paths	1.0m	15m	15m <sup>2</sup>	roll	24
GWFO2	<b>Mini Pack</b> Wider width ideal for patios	2.0m	10m	20m <sup>2</sup>	pack	10
GWFI	<b>Midi Rolls</b> For medium size projects	1.0m	50m	50m <sup>2</sup>	roll	5
GWFO5		1.5m	50m	75m <sup>2</sup>	roll	-
GWFI22		2.0m	25m	50m <sup>2</sup>	roll	5
GWFI2		2.0m	50m	100m <sup>2</sup>	roll	-
GWFI10	<b>Maxi Rolls</b> For larger size projects	1.0m	100m	100m <sup>2</sup>	roll	-
GWFI20		2.0m	100m	200m <sup>2</sup>	roll	-
GWFI45	<b>Contractor Pack</b> - Wide width, folded into packs for easy transport	4.5m	11m	50m <sup>2</sup>	pack	10
GWFI450	<b>Contractor Roll</b> - Folded	4.5m	100m	450m <sup>2</sup>	roll	-
GWFI451	<b>Contractor Roll</b> - Unfolded	4.5m	100m	450m <sup>2</sup>	roll	-

T: 0800 197 8885

F: 01903 765443

E: [sales@growthivation.com](mailto:sales@growthivation.com)

# DRAINTEX™

GEO FABRIC THAT WORKS



SEE PAGE 39 FOR POS SOLUTIONS

IDEAL FOR



DRAINAGE



PATHWAYS



DRIVEWAYS

FIND OUT MORE AT  
[www.draintex.uk.com](http://www.draintex.uk.com)




1213

A standard duty, non-woven geotextile fabric with excellent drainage and filtration properties. DRAINTEX has a stable but open structure making it ideal for lining trenches when constructing land (French) drains. DRAINTEX acts as a filter membrane, separating the aggregate from the soil, thus preventing the aggregate from mixing with the soil and reducing the efficiency and capacity of the drain.

DRAINTEX is also used for wrapping soakaway and water attenuation crates in both small domestic and large commercial projects. Again the high permeability of the fabric, means water can percolate through whilst preventing the soakaway becoming 'silted' up. DRAINTEX can be used as a ground stabilisation membrane beneath MOT Type 1 or 3 aggregate or hardcore to form a stable base in many hard landscaping and civil engineering applications.

For a successful soakaway, wrap the crates in DRAINTEX before covering with pea shingle.



CODE	PRODUCT	WIDTH	LENGTH	AREA	UNIT	OUTER QTY
DRA10	<b>Mini Roll</b> Narrow width, ideal for paths	1.0m	10m	10m <sup>2</sup>	roll	25
DRA25	<b>Midi Rolls</b> For medium size projects	2.0m	25m	50m <sup>2</sup>	roll	-
DRA225		2.0m	50m	100m <sup>2</sup>	roll	-
DRA45	<b>Contractor Pack</b> - Wide width, ideal for patios & driveways	4.5m	11.1m	50m <sup>2</sup>	pack	5
DRA450	<b>Contractor Roll</b>	4.5m	100m	450m <sup>2</sup>	roll	-

T: 0800 197 8885

F: 01903 765443

E: [sales@growthivation.com](mailto:sales@growthivation.com)

# DRIVETEX™

GEO FABRIC THAT WORKS



SEE PAGE 39 FOR POS SOLUTIONS

IDEAL FOR



DRIVEWAYS



ROADS



DRAINAGE

FIND OUT MORE AT  
www.drivetex.co.uk



1213

A heavy duty, non-woven geotextile fabric providing the best performance in ground stabilisation, filtration and drainage. DRIVETEX is a professional driveway fabric, to be used beneath MOT Type 1 or 3 aggregate or hardcore in sub-base layers. This prevents sinking and rutting caused by settlement of aggregates into the soil beneath (sub-grade) – a process known as ‘pumping’. This high quality product does not lose strength when used below ground, making it the ‘number 1’ choice for driveways, roads and other areas subject to vehicular traffic. DRIVETEX can be used for the construction of land (French) drains, for wrapping soakaway crates and for use beneath permeable paving and other SuDS compliant installations.

Without DRIVETEX aggregates mix with the sub-grade (soil) causing excessive settlement & rutting.

With DRIVETEX geotextile separates aggregate from the sub-grade (soil) and spreads the load imposed on the sub-base, thus preventing excessive settlement & rutting.



CODE	PRODUCT	WIDTH	LENGTH	AREA	UNIT	OUTER QTY
DGF10	<b>Mini Roll</b> Narrow width, ideal for paths	1.0m	10m	10m <sup>2</sup>	roll	25
DGF25	<b>Midi Rolls</b> For medium size projects	2.25m	25m	56m <sup>2</sup>	roll	-
DGF225		2.25m	50m	112.5m <sup>2</sup>	roll	-
DGF45	<b>Contractor Pack</b> - Wide width, ideal for patios & driveways	4.5m	11.1m	50m <sup>2</sup>	pack	5
DGF425	<b>Contractor Roll</b>	4.5m	50m	225m <sup>2</sup>	roll	-

T: 0800 197 8885

F: 01903 765443

E: sales@growthivation.com

# EARTHWORX™


GROUND CONTROL THAT WORKS



An extra heavy duty, non-woven geotextile with superior durability and mechanical resistance, providing ultimate performance in separation, filtration, drainage and reinforcement. EARTHWORX NW1000 is a quality geotextile fabric, manufactured from 100% polypropylene fibres to a high specification, which makes it suitable for demanding civil engineering projects particularly those with areas subject to a large volume of vehicular traffic and large imposed loads. This geotextile membrane prevents the sub-grade (soil) and sub-base (MOT Type 1 or similar) layers from mixing, which leads to contamination of the stone sub-base resulting in sinking and rutting of the surface. EARTHWORX NW1000 is widely used for roads, highways, car parks, railway construction, foundations and retaining structures.

EARTHWORX NW1000 can also be used as a drainage and separation layer in the construction of horse arenas, subject to the joints being correctly stitched or bonded.

Install EARTHWORX NW1000 between sub-base and sub-grade layers to prevent intermixing and create a stable base.



IDEAL FOR



HIGHWAYS



CIVIL ENGINEERING



HORSE ARENAS

FIND OUT MORE AT

[www.earthworxproducts.co.uk](http://www.earthworxproducts.co.uk)



1213

CODE	PRODUCT	WIDTH	LENGTH	AREA	UNIT	OUTER QTY
EGF450	Contractor Roll	4.5m	100m	450m <sup>2</sup>	Roll	-

T: 0800 197 8885

F: 01903 765443

E: [sales@growthivation.com](mailto:sales@growthivation.com)

# EXTRAFIX™

LANDSCAPE FIXINGS THAT WORK



IDEAL FOR



FLOWER BORDERS



GROUNDWORKS



DECKING

FIND OUT MORE AT  
[www.extrafix.co.uk](http://www.extrafix.co.uk)



## PLASTIC PEG

A simple and convenient way to secure all types of weed control and geotextile fabrics. These plastic fixing pegs are 160mm long with barbed edges and a square head, providing a large contact area, greater grip and improved anchorage.

Available in packs of 10, 100 and 1000.



## METAL PEG

A 200mm long metal peg providing extra length for a deeper fixing. Ideal for securing weed control and geotextile fabrics to slopes.

Available in packs of 100.



## METAL STAPLE

A 150mm long by 100mm wide metal staple for a heavier duty fixing. These metal staples can easily be hammered into most soil substrates.

Available in packs of 100.

CODE	PRODUCT	SIZE	UNIT
GPP0	Plastic Peg	160mm	pack of 10
GPP1		160mm	pack of 100
GPP10		160mm	pack of 1000
GMP1	Metal Peg	200mm	pack of 100
GMS1	Metal Staple	150mm x 100mm	pack of 100

T: 0800 197 8885

F: 01903 765443

E: [sales@growthivation.com](mailto:sales@growthivation.com)

# EARTHWORX™

GROUND CONTROL THAT WORKS



## GROUNDCELL

Earthworx Groundcell provides erosion control on slopes and embankments, to protect, reinforce and stabilise the soil and promote growth. The honeycomb cell structure prevents irregular settlement and washout of contents. Groundcell is also used extensively for tree root protection where it is necessary to build an access road or area subject to traffic over ground containing tree roots. The cell structure creates a sub-base above the surface and spreads the imposed load, helping to prevent damage to the roots, whilst providing a stable and solid base.



## J FIXING PIN

Earthworx J Fixing Pins are designed to fully secure Earthworx Groundcell panels for effective tree root protection and erosion control on slopes and embankments.

IDEAL FOR



GROUNDWORKS



LANDSCAPING



CIVIL ENGINEERING

FIND OUT MORE AT

[www.earthworxproducts.co.uk](http://www.earthworxproducts.co.uk)



CODE	PRODUCT	SIZE	UNIT
EC100	Groundcell	100mm x 4m x 6m	panel
EC150		150mm x 4m x 6m	panel
EC200		200mm x 4m x 6m	panel
EJP300	J Fixing Pin	300mm	pack of 100
EJP500		500mm	pack of 25

\* Other colours available to order (subject to lead times and minimum order quantities).

T: 0800 197 8885

F: 01903 765443

E: [sales@growthivation.com](mailto:sales@growthivation.com)



A permeable gravel retention system which effectively

contains and stabilises loose aggregate surfaces. The 25mm deep panel prevents gravel migration, sinking and rutting. The unique design includes an integral mesh base which prevents aggregate from undermining the panel. Suitable for pedestrian and vehicular traffic.



**GRAVELRINGS FIXING PIN**

A 250mm long, spiral fixing pin for securing Gravelrings panels to the sub-base. Only suitable for use with Gravelrings panels. Available in packs of 30 or 100.



**PARKING BAY MARKERS**

Square inserts for Gravelrings and Grassrings panels for marking out parking bays.



A plastic modular system for stabilising and reinforcing grass parking surfaces.

The 30mm deep panels prevent compaction of the root zone layer and are flexible allowing them to follow undulations. Suitable for pedestrian and vehicular traffic

CODE	PRODUCT	COLOUR*	SIZE	UNIT
GRV500	Gravelrings	Black	25 x 500 x 500mm	m <sup>2</sup>
GRV501		White	25 x 500 x 500mm	m <sup>2</sup>
GRFP30	Gravelrings Fixing Pin	-	250mm	pack of 30
GRFP10		-	250mm	pack of 100
GRVP01	Gravelrings Parking Bay Marker <b>NEW</b>	White	-	each
GRS500	Grassrings	Black	30 x 500 x 500mm	m <sup>2</sup>
GRSP01	Grassrings Parking Bay Marker	Yellow	-	each

\* Other colours available to order (subject to lead times and minimum order quantities).

# BUILDING

Professional building products and site consumables for trade and DIY users. These essential products provide what's needed to ensure a site or building project operates to a high standard of workmanship, safety, tidiness and productivity.



IDEAL FOR



CARAVAN PARKS



DRIVEWAYS



GOLF COURSES

# SITWORX™

BUILDING ESSENTIALS THAT WORK



SEE PAGE 38 FOR  
POS SOLUTIONS

IDEAL  
FOR



BUILDING



DECORATING



DIY

FIND OUT MORE AT

[www.siteworxproducts.co.uk](http://www.siteworxproducts.co.uk)



## MULTI-PURPOSE TARPAULIN

All weather protection for every project. These versatile tarpaulins are made of woven polypropylene to withstand tearing. Aluminium eyelets and reinforced edges give extra durability.



## HEAVY DUTY TARPAULIN

Heavy duty woven polypropylene tarpaulins providing lasting protection. Aluminium eyelets and reinforced edges give extra durability.



## MULTI-PURPOSE ROPE

Durable, polypropylene rope for hundreds of on site or DIY applications.

Available in mini or maxi coils and a range of thicknesses to suit every use.

CODE	PRODUCT	SIZE	UNIT	OUTER QTY	
SWMT2	Multi-Purpose Tarpaulin	2m x 3m	ea	40	
SWMT3		3m x 4m	ea	20	
SWMT4		4m x 5m	ea	12	
SWMT5		5m x 8m	ea	6	
SWMT6		6m x 10m	ea	4	
SWMT7		7m x 11m	ea	3	
SWMT9		9m x 14m	ea	2	
SWMT10		10m x 10m	ea	2	
SWHT3		Heavy Duty Tarpaulin	3m x 4m	ea	10
SWHT4			4m x 5m	ea	6
SWHT5	5m x 8m		ea	3	
SWHT6	6m x 10m		ea	2	
SWR6	Multi-Purpose Rope	6mm x 30m	ea	-	
SWR8		8mm x 30m	ea	-	
SWR10		10mm x 30m	ea	-	
SWR12		12mm x 30m	ea	-	
SWR60		6mm x 220m	ea	-	
SWR80		8mm x 220m	ea	-	
SWR100		10mm x 220m	ea	-	
SWR120		12mm x 220m	ea	-	

PROTECT & SECURE

IDEAL  
FOR



BUILDING



ROOFING



TRANSPORT



### TEMPORARY PROTECTION SHEETING

This clear polythene protection sheeting offers economical and waterproof protection for many applications. Roll is folded to 1m for ease of use and transportation.

Also available in pre-cut packs.



### HIGH PROTECTION SHEETING

Heavy duty clear polythene sheeting, ideal for protecting floor coverings and interior finishes whilst works are in progress.

Available as a handy folded pack size.



### MEDIUM PROTECTION SHEETING

Medium duty clear polythene sheeting, ideal for protecting furniture and other items whilst building and decorating works are in progress.

Available as a handy folded pack size.



### LIGHT PROTECTION SHEETING

Lightweight clear polythene sheeting for use as a polythene dust sheet.

Available as a 2m x 50m multi-folded roll.

CODE	PRODUCT	SIZE	UNIT	QUATER QTY
STPS1	Temporary Protection Sheeting	4m x 25m	roll	-
SCP34	High Protection Sheeting	3m x 4m	pack	10
STP34	Medium Protection Sheeting	3m x 4m	pack	20
SPD25	Light Protection Sheeting	2m x 50m	roll	10



### DAMP PROOF MEMBRANE

A BBA approved durable polythene for water ingress prevention. Available in 1000g or 1200g in maxi rolls or mini packs.

The mini packs have many advantages, including:

- Saves time cutting off the roll = convenient
- No wastage and useless offcuts
- Easy to store and display
- Eye catching packaging improves sales
- Ideal for smaller DIY users



### VAPOUR MEMBRANE

Green polythene membrane for use as a vapour control layer. Ideal for timber frame buildings and structures.



### CONCRETE & SCREED FIBRES

20mm polypropylene fibres to minimise shrinkage and cracking in concrete and screed mixes. Available in 100g or 900g pre-packed sizes for the smaller user.

### PLASTER & RENDER FIBRES

3mm polypropylene monofilament fibres to be used in plaster and render mixes to minimise shrinkage and cracking. Available in 200g pre-packed sizes.

CODE	PRODUCT	THICKNESS / WEIGHT	SIZE	UNIT	OUTER QTY
SDP342	DPM Mini Pack	1000g / 250 micron	3m x 4m	pack	8
SDP343		1200g / 300 micron	3m x 4m	pack	8
SDP452		1000g / 250 micron	4m x 5m	pack	5
SDP453		1200g / 300 micron	4m x 5m	pack	5
SDP250	DPM Maxi Roll	1000g / 250 micron	4m x 25m	roll	-
SDP300		1200g / 300 micron	4m x 25m	roll	-
SVM255	Vapour Membrane	500g / 125 micron	2.5m x 50m	roll	-
SWCF1	Concrete & Screed Fibres	-	100g	pack	30
SWCF9		-	900g	pack	10
SWPF2	Plaster & Render Fibres	-	200g	pack	30



DAMP PROOFING



BUILDING



CONCRETING



DECORATING



BUILDING



DIY



### POLYTHENE RUBBLE SACK

Heavy duty polythene sacks. Ideal for all building and garden waste, aggregates and logs. Available in 'ready to sell' mini packs of 10 and maxi packs of 100 for larger users. The mini packs of 10 have many advantages, including;

- Saves time counting = convenient
- Easy to store and display
- Eye catching packaging improves sales
- Ideal for smaller DIY users



### BARRIER FENCE

This lightweight yet tough extruded mesh, provides instant protection and warning to help prevent accidents on site.



### FENCE PINS

Heavy duty steel road pins make erection of barrier fence a quick and easy task.

CODE	PRODUCT	SIZE	UNIT	OUTER QTY
SWPR1	Polythene Rubble Sack	50cm x 75cm	pack of 10	10 packs
SWPR10		50cm x 75cm	pack of 100	-
SWBF15	Barrier Fence	1m x 50m	roll	-
SWFP	Fence Pin	1.35m	each	10



### FOAM EXPANSION JOINT FILLER

A polyethylene foam material with low moisture absorption properties, used for filling expansion joints in brickwork and blockwork. Available in white or cream coloured foam with a closed cell structure. The cream has the best expansion and contraction properties, whereas the white is a more economical alternative. Supplied as a 10m roll complete with a tear-off strip to enable application of a mastic sealant.



### FIBREBOARD EXPANSION JOINT FILLER

A bitumen impregnated fibreboard material with a high resistance to moisture penetration, used for filling expansion joints in concrete. Available in 12mm thickness in strips ranging from 100 – 200mm wide or as whole sheets (2440 x 1220mm).

CODE	PRODUCT	COLOUR	SIZE*	UNIT	OUTER QTY	
SEC101	Foam Expansion Joint Strip	Cream	10mm x 100mm x 10m	roll	10	
SEC102		Cream	10mm x 150mm x 10m	roll	6	
SEC121		Cream	12mm x 100mm x 10m	roll	10	
SEC122		Cream	12mm x 150mm x 10m	roll	6	
SEC151		Cream	15mm x 100mm x 10m	roll	10	
SEW101		White	10mm x 100mm x 10m	roll	10	
SEW102		White	10mm x 150mm x 10m	roll	6	
SEW103		White	10mm x 200mm x 10m	roll	5	
SFB121		Fibreboard Expansion Joint Strip	-	12mm x 100mm x 2440mm	pack of 20	-
SFB122			-	12mm x 150mm x 2440mm	pack of 10	-
SFB123	-		12mm x 200mm x 2440mm	pack of 10	-	
SFB120	Fibreboard Expansion Joint Sheet	-	12mm x 1220mm x 2440mm	sheet	10	
SFB190		-	19mm x 1220mm x 2440mm	sheet	10	

\*Other sizes available

IDEAL FOR



GROUNDWORKS



CONCRETING



BUILDING

IDEAL FOR



BUILDING



GROUNDWORKS



GARDENING



**PALLET WRAP**

Stretchy, strong film for protecting and packing all shapes and sizes onto pallets for safe and easy storage and transportation. Available in 2 grades.



**PVC TAPE**

A multi-purpose single sided adhesive tape, ideal for repairing tarpaulins and polythene as well as jointing and mating damp proof membranes and gas barriers or for line marking.



**BUTYL TAPE**

A strong, cold glue butyl tape with excellent elongation properties and low moisture vapour transmission. Ideal for repairing butyl liner membranes, waterproof membranes and for jointing and mating damp proof membranes, geotextiles and other polythene sheeting.

**GROWING**

A quality selection of products for the agricultural and horticultural industries, including ground cover fabrics as well as ties and guards to provide vital support for growing trees.



IDEAL FOR



BUILDING



TRANSPORT



DAMP PROOFING

CODE	PRODUCT	SIZE	UNIT	OUTER QTY
SWPW1	Standard Pallet Wrap	400mm x 300m	roll	6
SWPW2	Extra Pallet Wrap	400mm x 300m	roll	6
ST75	PVC Single Sided Tape	75mm x 33m	roll	16
ST50	Butyl Double Sided Tape	50mm x 10m	roll	12

FIND OUT MORE AT [www.siteworxproducts.co.uk](http://www.siteworxproducts.co.uk)

# GROUNDTEX™

GEO FABRIC THAT WORKS



IDEAL FOR



GROWING



PLANTING




GARDENING

A high quality woven fabric for use as a ground cover in horticultural and agricultural growing applications.

GROUNDTEX Ground Cover Fabric is UV stabilised meaning it can be used above ground to suppress weeds in 'standing out' areas or between beds, without further protection. This hard wearing fabric can also be used in covered areas such as glasshouses or polytunnels.

GROUNDTEX Ground Cover Fabric allows moisture to pass through it and helps to increase soil temperatures slightly, promoting healthy plant/crop growth whilst blocking the light that weeds need to grow. Available in roll sizes ranging from 1 metre to 5 metres wide.

Lay GROUNDTEX Ground Cover Fabric beneath 'standing out' areas to suppress weed growth.



CODE	PRODUCT	WIDTH	LENGTH	AREA	UNIT
GGC1	<b>Midi Rolls</b> For medium size projects	1.0m	50m	50m <sup>2</sup>	roll
GGC2		2.0m	50m	100m <sup>2</sup>	roll
GGC3		3.3m	50m	165m <sup>2</sup>	roll
GGC4		4.2m	50m	210m <sup>2</sup>	roll
GGC5		5.0m	50m	250m <sup>2</sup>	roll
GGC10	<b>Maxi Rolls</b> For larger size projects	1.0m	100m	100m <sup>2</sup>	roll
GGC15		1.5m	100m	150m <sup>2</sup>	roll
GGC20		2.0m	100m	200m <sup>2</sup>	roll

FIND OUT MORE AT  
[www.groundtex.co.uk](http://www.groundtex.co.uk)



T: 0800 197 8885

F: 01903 765443

E: [sales@growthivation.com](mailto:sales@growthivation.com)

# CROPTEX™

GROWING ESSENTIALS THAT WORK



### BUCKLE TIES

Buckle Ties are a very popular tree tying method. Made of strong PVC to give a heavy duty and durable tie. Each Buckle Tie comes with its own spacer.



### SUPER SOFT TIES

These soft rubber ties prevent damage to the tree. No extra pads are required as these self interlocking ties form their own spacer between tree and stake.



### SPIRAL GUARDS

Spiral guards give young trees vital protection against rabbits and sheep. They are economical and easy to fit, and stretch as the tree grows.

IDEAL FOR



GROWING



PLANTING



GARDENING

FIND OUT MORE AT  
[www.croptex.co.uk](http://www.croptex.co.uk)



CODE	PRODUCT	SIZE	COLOUR	UNIT
BTT45	Buckle Tie	25mm x 45cm	Black	100
BTT60		25mm x 60cm	Black	100
SST30	Super Soft Tie	12.5mm x 30cm	Black	100
SST50		22mm x 50cm	Black	100
SG45B	Spiral Tree Guard	38mm x 45cm	Brown	250
SG45C		38mm x 45cm	Clear	250
SG60B		38mm x 60cm	Brown	250
SG60C		38mm x 60cm	Clear	250

T: 0800 197 8885 F: 01903 765443 E: [sales@growtivation.com](mailto:sales@growtivation.com)

IDEAL FOR



PLANTING



GROWING



TREES

At Growtivation we believe in the concept that it's not products that sell, it's **'brands that sell'**. Whilst a poor quality product will not make a good name for itself, when you combine the factors of high quality, functionality and a strong identity, you have a recognised brand that is sought after and popular with professional tradesmen and consumers. Growtivation's distinctly branded products pave the way to increased sales for our distributors.

All our products have clear, individual branding which is particularly emphasised on the product packaging. Brand names are memorable and help to describe the product's applications, whilst making it easy for the end user to identify.




What's more, at Growtivation we don't believe in delivering the goods and then leaving our stockists' to do the hard work. The 'point of sale' or 'impulse buy' theory is a well proven method of improving sales in a retail shop or trade counter environment. The sales results from a properly displayed product can be tremendous. See pages 41-43 for the display and literature options available.

FIND OUT MORE AT  
[www.growtivation.com](http://www.growtivation.com)



# POS DISPLAY

A range of high impact POS Display solutions to suit individual branch requirements and store layouts. This professionally branded display material has been proven to produce exceptional sales results.



## POINT OF SALE DISPLAY BOX

A tough, high impact cardboard POS display box designed to hold a variety of products from the SITEWORX range, including tarpaulins, polythene sheeting, fibres, DPM packs, rubble sacks and more. These versatile display units are made to fit standard merchant shelving units and can be stacked to form a floor standing display. These boxes are supplied free\* with initial orders for these products.



## 'PREMIUM GROUND CONTROL SYSTEMS' TRADE BROCHURE

Another 'end user' brochure with technical data and installation guidelines for the GRAVELRINGS and GRASSRINGS products. There is provision on the reverse of the brochure for the branch contact details. These brochures fit into the leaflet dispenser on the front of the POS Display Boxes and are supplied FOC with these boxes or on specific request at time of order.

## POINT OF SALE DISPLAY BOXES

A tough, re-usable, high impact cardboard POS display box with brand specific attention grabbing graphics. These boxes can be used to display plastic fixing pegs, mini rolls, mini packs, contractor packs and some midi roll sizes in all of our geo fabric ranges. These boxes are supplied free\* with initial orders for these products.

## COUNTER DISPLAY UNIT

A compact cardboard display unit that fits easily on your counter or shelving units. This effective display holds a small piece of GRAVELRINGS tile and some suitable gravel, showcasing the unique features of this system in action. Includes leaflet dispenser for the 'Premium Ground Control Systems' Trade brochure. These units are supplied FOC on request\*.



## 'LANDSCAPING THAT WORKS' TRADE BROCHURE

A comprehensive leaflet for the 'end user' containing product and installation guidelines covering our complete geo fabric range. There is provision on the reverse of the brochure for the distributor's contact details. These brochures fit into the leaflet dispenser on the front of the POS Display Boxes and are supplied FOC with these boxes or on specific request at time of order.

\* Terms and conditions apply

\*Terms and conditions apply

CODE	PRODUCT	HEIGHT	WIDTH	DEPTH	UNIT
PDBS10	SITWORX POS Display Box	410mm	620mm	483mm	each
GTWB10	Premium Ground Control Systems	A5 (148x210mm)			each
CDUG10	GRAVELRINGS Counter Display Unit	490mm	360mm	360mm	each

CODE	PRODUCT	HEIGHT	WIDTH	DEPTH	UNIT
PDBW10	WEEDTEX POS Display Box	1.36m	0.66m	0.46m	each
PDBL10	LANDTEX POS Display Box	1.36m	0.66m	0.46m	each
PDBG10	GROUNDTEX POS Display Box	1.36m	0.66m	0.46m	each
PDBA10	DRAINTEX POS Display Box	1.36m	0.66m	0.46m	each
PDBD10	DRIVETEX POS Display Box	1.36m	0.66m	0.46m	each
LTWB10	Landscaping That Works Trade Brochure	A5 (148x210mm)			each

FIND OUT MORE AT  
www.growtivation.com



T: 0800 197 8885 F: 01903 765443 E: sales@growtivation.com



EYE CATCHING



SALES BOOSTING



TIDY STORING



EYE CATCHING



SALES BOOSTING



TIDY STORING

**PRODUCT THAT WORKS**

**BRANDS THAT SELL**

**SERVICE THAT DELIVERS**

Kingsway House  
23a Marlborough Road  
Lancing Business Park  
Lancing, West Sussex  
BN15 8TR

**T** 01903 765444  
**F** 01903 765443  
**E** [sales@growthivation.com](mailto:sales@growthivation.com)  
**W** [www.growthivation.com](http://www.growthivation.com)



Growthivation is a trading name of REG Group Ltd.  
Registered in England & Wales. Company No. 10671288.